








H150

Technical data




 Max Lifting Capacity	 Engine Power	 Travel Speed	 Hydraulic Flow	 Max Lifting Height
1150 kg	18.5 kw	20 km/h	40 l/min	1.4 m




Technical data	H150	
Engine model	Kubota D902	ZONSEN GB750EFI
Fuel type	Diesel	Gasoline
Cylinders	3	2
Displacement cc	900	750
Emission standards	EU Stage V&EPA Tier 4 Final	
Max engine output kW	18.5 @ 3600 rpm	18.5 @ 3600 rpm
Max engine torque Nm	56.1 @ 2600 rpm	14.5 @ 3440 rpm
Cooling system	Water	Air
Operating voltage V	12	
Battery Ah	45	
Operating weight kg	980	
Tipping load ,max kg	750	
Lifting capacity,max kg	1150	
Operator's cab	Canopy	
Travel speed km/h	0~20	
Steering angle °	45	
Turn radius inside/outside mm	853/1893	
Standard tires	23x8.5-12	
Fuel tank capacity l	22	
Hydraulic oil tank capacity l	40	
Working hydraulic flow l/min	40	
Working hydraulic pressure bar	200	
Transmission type	Hydrostatic	

H150

Dimensions/mm



Tires size	Height	Width
23x8.5-12	1990	1031



Products will continue to be optimized, so the technical data on this page may not be updated in real time.
 For more information at: www.heracles.eu
 Or contact us (contact information is on the back cover).